

# Amherst Fire District Procedure

## **Defibrillation - Manual**

### **Clinical Indications:**

- Cardiac arrest with ventricular fibrillation or pulseless ventricular tachycardia
- Unstable polymorphic ventricular tachycardia

#### **Procedure:**

- 1. Clinically confirm the diagnosis of cardiac arrest and identify the need for defibrillation.
- 2. Apply pads to the patient's chest in the proper position and in accordance with manufacturer's recommendation (commonly seen as picture on pads).
- 3. Assure proper contact by shaving, drying, or making sure fast patch pads have good solid skin contact.
- 4. Select the appropriate energy level (adult -200 joules with repeat doses at 200 joules; pediatric patients 2 joules/kg initially with repeat therapies at 4 joules/kg) for biphasic devices.
- 5. Charge the defibrillator to the selected energy level.
- 6. Assertively state, "CLEAR" and visualize that no one, including you, is in contact with the patient.
- 7. Depress the **shock button** for hands free operation.
- 8. Immediately continue CPR for two minutes.
- 9. Document all dysrhythmias and the response to defibrillation with ECG strips with the PCR.
- 10. Repeat the procedure as indicated by patient response and ECG rhythm.

## **Certification Requirements:**

• Successfully complete an annual skill evaluation inclusive of the indications, contraindications, technique, and possible complications of the procedure.